



SRT *Mandrins de taraudage avec amortisseur axial* Mandrini di maschiatura con ammortizzatore assiale




Uniquement pour taraudage synchrone
Nur für Synchrobearbeitung
Only for rigid tapping
Solo per maschiatura sincrona
Solo para roscado sincronizado
Только для rigid tapping


DIN 69 893 A					SRT-HSK63-312		SRT-HSK63-820		SRT-HSK63-1433																																	
HSK																																										
																																										
																																										
<table><tr><td></td><td>D₁ mm</td><td>L₁ mm</td><td></td><td> 310</td><td>ID</td><td>ID</td><td>ID</td></tr><tr><td>M3 - M12</td><td>36</td><td>72</td><td>HSK A 63</td><td>S1</td><td>● 170111</td><td></td><td></td></tr><tr><td>M8 - M20</td><td>53</td><td>89</td><td>HSK A 63</td><td>S2</td><td></td><td>● 170112</td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>121</td><td>HSK A 63</td><td>S3</td><td></td><td></td><td>● 170114</td></tr></table>						D ₁ mm	L ₁ mm		 310	ID	ID	ID	M3 - M12	36	72	HSK A 63	S1	● 170111			M8 - M20	53	89	HSK A 63	S2		● 170112		M14 - M33	78	121	HSK A 63	S3			● 170114						
	D ₁ mm	L ₁ mm		 310	ID	ID	ID																																			
M3 - M12	36	72	HSK A 63	S1	● 170111																																					
M8 - M20	53	89	HSK A 63	S2		● 170112																																				
M14 - M33	78	121	HSK A 63	S3			● 170114																																			
MAS/BT Form AD + B					SRT-BT40-312		SRT-BT40-820		SRT-BT40-1433																																	
BT																																										
																																										
																																										
<table><tr><td></td><td>D₁ mm</td><td>L₁ mm</td><td></td><td> 310</td><td>ID</td><td>ID</td><td>ID</td></tr><tr><td>M3 - M12</td><td>36</td><td>71</td><td>BT40</td><td>S1</td><td>● 170133</td><td></td><td></td></tr><tr><td>M8 - M20</td><td>53</td><td>85</td><td>BT40</td><td>S2</td><td></td><td>● 170134</td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>121</td><td>BT40</td><td>S3</td><td></td><td></td><td>● 170135</td></tr></table>						D ₁ mm	L ₁ mm		 310	ID	ID	ID	M3 - M12	36	71	BT40	S1	● 170133			M8 - M20	53	85	BT40	S2		● 170134		M14 - M33	78	121	BT40	S3			● 170135						
	D ₁ mm	L ₁ mm		 310	ID	ID	ID																																			
M3 - M12	36	71	BT40	S1	● 170133																																					
M8 - M20	53	85	BT40	S2		● 170134																																				
M14 - M33	78	121	BT40	S3			● 170135																																			

SRT *Mandrins de taraudage avec amortisseur axial* Mandrini di maschiatura con ammortizzatore assiale



Uniquement pour taraudage synchrone
Nur für Synchronbearbeitung
Only for rigid tapping
Solo per maschiatura sincrona
Solo para roscado sincronizado
Только для rigid tapping

DIN 69 871 Form AD + B					SRT-SK40-312	SRT-SK40-820	SRT-SK40-1433																								
SK																															
																															
																															
<table><tr><th></th><th>D₁ mm</th><th>L₁ mm</th><th></th><th></th><th>310</th></tr><tr><td>M3 - M12</td><td>36</td><td>65</td><td>SK40</td><td>S1</td><td></td></tr><tr><td>M8 - M20</td><td>53</td><td>79</td><td>SK40</td><td>S2</td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>115</td><td>SK40</td><td>S3</td><td></td></tr></table>						D ₁ mm	L ₁ mm			310	M3 - M12	36	65	SK40	S1		M8 - M20	53	79	SK40	S2		M14 - M33	78	115	SK40	S3		ID	ID	ID
	D ₁ mm	L ₁ mm			310																										
M3 - M12	36	65	SK40	S1																											
M8 - M20	53	79	SK40	S2																											
M14 - M33	78	115	SK40	S3																											
					● 170124																										
						● 170125																									
							● 170126																								

DIN 69 871 Form AD + B					SRT-SK50-820	SRT-SK50-1433	SRT-SK50-2248																								
SK																															
																															
																															
<table><tr><th></th><th>D₁ mm</th><th>L₁ mm</th><th></th><th></th><th>310</th></tr><tr><td>M8 - M20</td><td>53</td><td>79</td><td>SK50</td><td>S2</td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>115</td><td>SK50</td><td>S3</td><td></td></tr><tr><td>M22 - M48</td><td>96</td><td>170</td><td>SK50</td><td>S4</td><td></td></tr></table>						D ₁ mm	L ₁ mm			310	M8 - M20	53	79	SK50	S2		M14 - M33	78	115	SK50	S3		M22 - M48	96	170	SK50	S4		ID	ID	ID
	D ₁ mm	L ₁ mm			310																										
M8 - M20	53	79	SK50	S2																											
M14 - M33	78	115	SK50	S3																											
M22 - M48	96	170	SK50	S4																											
					● 170128																										
						● 170129																									
							● 170130																								

SRT Mandrins de taraudage avec amortisseur axial

Mandrini di maschiatura con ammortizzatore assiale



Uniquement pour taraudage synchrone
Nur für Synchrobearbeitung
Only for rigid tapping
Solo per maschiatura sincrona
Solo para roscado sincronizado
Только для rigid tapping


DIN 1835 B							SRT032-D6	SRT054-D12	ER8
SRT nano SRT032 / SRT054 D9865-									
D	D ₁	D ₂	L	L ₁	L ₂		ID	ID	
M0.3 - M2	12	11	6	25	40	56	• 157610		
M0.5 - M4	12	20	12	33	59	75		• 127413	
No	D ₂	L ₃	d ₂				ID		
ER8-0100	8.5	13.5	1				• 179401		
ER8-0150	8.5	13.5	1.5				• 179400		
ER8-0200	8.5	13.5	2				• 118895		
ER8-0250	8.5	13.5	2.5				• 118896		
ER8-0300	8.5	13.5	3				• 118897		
ER8-0350	8.5	13.5	3.5				• 118898		
ER8-0400	8.5	13.5	4				• 118899		
ER8-0450	8.5	13.5	4.5				• 118900		
DIN 1835 B							SRT312-D20	SRT312-D25	SRT520-D25
SRT short									
							< 30 bar	< 30 bar	< 30 bar
D ₁	D ₂	L	L ₁				ID	ID	ID
M3 - M12	39	20	47	86	S1		• 162832		
M3 - M12	39	25	53	90	S1			• 162831	
M5 - M20	56	25	53	110	S2				• 162833


SRT

Mandrins de taraudage avec amortisseur axial
Mandri di maschiatura con ammortizzatore assiale



Uniquement pour taraudage synchrone
 Nur für Synchronbearbeitung
 Only for rigid tapping
 Solo per maschiatura sincrona
 Solo para roscado sincronizado
 Только для rigid tapping

DIN 1835 B							SRT-1D20-312	SRT-1D25-312	SRT-2D25-820																																								
SRT																																																	
							  																																										
							  																																										
							  																																										
<table><tr><th></th><th>D₁ mm</th><th>D₂ mm</th><th>L mm</th><th>L₁ mm</th><th></th><th> 310</th><th>ID</th><th>ID</th><th>ID</th></tr><tr><td>M3 - M12</td><td>36</td><td>20</td><td>51</td><td>97</td><td>S1</td><td></td><td>● 170140</td><td></td><td></td></tr><tr><td>M3 - M12</td><td>36</td><td>25</td><td>57</td><td>103</td><td>S1</td><td></td><td></td><td>● 170020</td><td></td></tr><tr><td>M8 - M20</td><td>53</td><td>25</td><td>57</td><td>131</td><td>S2</td><td></td><td></td><td></td><td>● 170141</td></tr></table>								D ₁ mm	D ₂ mm	L mm	L ₁ mm		 310	ID	ID	ID	M3 - M12	36	20	51	97	S1		● 170140			M3 - M12	36	25	57	103	S1			● 170020		M8 - M20	53	25	57	131	S2				● 170141			
	D ₁ mm	D ₂ mm	L mm	L ₁ mm		 310	ID	ID	ID																																								
M3 - M12	36	20	51	97	S1		● 170140																																										
M3 - M12	36	25	57	103	S1			● 170020																																									
M8 - M20	53	25	57	131	S2				● 170141																																								

DIN 1835 B							SRT-2D32-820	SRT-3D25-1433	SRT-3D32-1433																																								
SRT																																																	
							  																																										
							  																																										
							  																																										
<table><tr><th></th><th>D₁ mm</th><th>D₂ mm</th><th>L mm</th><th>L₁ mm</th><th></th><th> 310</th><th>ID</th><th>ID</th><th>ID</th></tr><tr><td>M8 - M20</td><td>53</td><td>32</td><td>61.5</td><td>135.5</td><td>S2</td><td></td><td>● 170142</td><td></td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>25</td><td>57</td><td>164.5</td><td>S3</td><td></td><td></td><td>● 170143</td><td></td></tr><tr><td>M14 - M33</td><td>78</td><td>32</td><td>61.5</td><td>169</td><td>S3</td><td></td><td></td><td></td><td>● 170144</td></tr></table>								D ₁ mm	D ₂ mm	L mm	L ₁ mm		 310	ID	ID	ID	M8 - M20	53	32	61.5	135.5	S2		● 170142			M14 - M33	78	25	57	164.5	S3			● 170143		M14 - M33	78	32	61.5	169	S3				● 170144			
	D ₁ mm	D ₂ mm	L mm	L ₁ mm		 310	ID	ID	ID																																								
M8 - M20	53	32	61.5	135.5	S2		● 170142																																										
M14 - M33	78	25	57	164.5	S3			● 170143																																									
M14 - M33	78	32	61.5	169	S3				● 170144																																								


SRT

Inserts sans accouplement de sécurité
Pinze a cambio rapido senza frizione



Uniquement pour taraudage synchrone
Nur für Synchrobohrung
Only for rigid tapping
Solo per misturatura sincrona
Solo para roscado sincronizado
Только для rigid tapping

SRT



S1-

S2-


S3-

S4-



No	D ₁ mm	D ₂ mm	d ₂ mm	a mm	ID	ID	ID	ID
S1-0028	30	19	2.8	2.1	● 129915			
S1-0035	30	19	3.5	2.7	● 129916			
S1-0045	30	19	4.5	3.4	● 129918			
S1-0060	30	19	6	4.9	● 129920			
S1-0070	30	19	7	5.5	● 129921			
S1-0080	30	19	8	6.2	● 129922			
S1-0090	30	19	9	7	● 129923			
S1-0100	30	19	10	8	● 129924			
S1-0110	30	19	11	9	● 129925			
S2-0060	48	31	6	4.9		● 129927		
S2-0070	48	31	7	5.5		● 129928		
S2-0080	48	31	8	6.2		● 129929		
S2-0090	48	31	9	7		● 129930		
S2-0100	48	31	10	8		● 129931		
S2-0110	48	31	11	9		● 148303		
S2-0120	48	31	12	9		● 129932		
S2-0140	48	31	14	11		● 129933		
S2-0160	48	31	16	12		● 129934		
S2-0180	48	31	18	14.5		● 151355		
S3-0110	70	48	11	9			● 170145	
S3-0120	70	48	12	9			● 170146	
S3-0140	70	48	14	11			● 170147	
S3-0160	70	48	16	12			● 170148	
S3-0180	70	48	18	14.5			● 170149	
S3-0200	70	48	20	16			● 170150	
S3-0220	70	48	22	18			● 170151	
S3-0250	70	48	25	20			● 170152	
S4-0180	96	60	18	14.5				● 170153
S4-0200	96	60	20	16				● 170154
S4-0220	96	60	22	18				● 170155
S4-0250	96	60	25	20				● 170156
S4-0280	96	60	28	22				● 170157
S4-0320	96	60	32	24				● 170158
S4-0360	96	60	36	29				● 170159

CLASSIC



SC1-

SC2-

SC3-

SC4-



No	D ₁ mm	D ₂ mm	d ₂ mm	a mm	L ₄ mm	ID	ID	ID	ID
SC1-0028	32	19	2.8	2.1	25	● 170160			
SC1-0035	32	19	3.5	2.7	25	● 170161			
SC1-0045	32	19	4.5	3.4	25	● 170162			
SC1-0060	32	19	6	4.9	25	● 170163			
SC1-0070	32	19	7	5.5	25	● 170164			
SC1-0080	32	19	8	6.2	25	● 170165			
SC1-0090	32	19	9	7	25	● 170166			
SC1-0100	32	19	10	8	25	● 170167			
SC2-0060	50	31	6	4.9	34		● 170168		
SC2-0070	50	31	7	5.5	34		● 170169		
SC2-0080	50	31	8	6.2	34		● 170170		
SC2-0090	50	31	9	7	34		● 170171		
SC2-0100	50	31	10	8	34		● 170172		
SC2-0110	50	31	11	9	34		● 170173		
SC2-0120	50	31	12	9	34		● 170174		
SC2-0140	50	31	14	11	34		● 170175		
SC2-0160	50	31	16	12	34		● 170176		
SC2-0180	50	31	18	14.5	34		● 170177		
SC3-0110	72	48	11	9	45			● 170178	
SC3-0120	72	48	12	9	45			● 170179	
SC3-0140	72	48	14	11	45			● 170180	
SC3-0160	72	48	16	12	45			● 170181	
SC3-0180	72	48	18	14.5	45			● 170182	
SC3-0200	72	48	20	16	45			● 170183	
SC3-0220	72	48	22	18	45			● 170184	
SC3-0250	72	48	25	20	45			● 170185	
SC4-0180	96	60	18	14.5	68				● 170186
SC4-0200	96	60	20	16	68				● 170187
SC4-0220	96	60	22	18	68				● 170188
SC4-0250	96	60	25	20	68				● 170189
SC4-0280	96	60	28	22	68				● 170190
SC4-0320	96	60	32	24	68				● 170191
SC4-0360	96	60	36	29	68				● 170192